



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|--|-------------|----------------------|---------------------|------------------|
| 10/828,312 | 04/21/2004 | Cheng-Yung Chen | CHEN3660/EM | 4222 |
| 7590 | 06/19/2006 | | EXAMINER | |
| TROXELL LAW OFFICE PLLC 5205 LEESBURG PIKE, SUITE 1404 FALL CHURCH, VA 22041 | | | JOHNSON, JERROLD D | |
| | | | ART UNIT | PAPER NUMBER |
| | | | 3728 | |

DATE MAILED: 06/19/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

| | | |
|------------------------------|-----------------|--------------|
| Office Action Summary | Application No. | Applicant(s) |
| | 10/828,312 | CHEN ET AL. |
| | Examiner | Art Unit |
| | Jerrold Johnson | 3728 |

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE ____ MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) Responsive to communication(s) filed on 30 May 2006.
- 2a) This action is FINAL. 2b) This action is non-final.
- 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) Claim(s) 14, 15 and 17-20 is/are pending in the application.
 - 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) Claim(s) _____ is/are allowed.
- 6) Claim(s) 14, 15 and 17-20 is/are rejected.
- 7) Claim(s) _____ is/are objected to.
- 8) Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) The specification is objected to by the Examiner.
- 10) The drawing(s) filed on _____ is/are: a) accepted or b) objected to by the Examiner.

Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).

Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) All b) Some * c) None of:
 1. Certified copies of the priority documents have been received.
 2. Certified copies of the priority documents have been received in Application No. _____.
 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

| | |
|---|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date: _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date: _____ | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION


Claim Rejections - 35 USC § 102

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 14-18 and 20 are rejected under 35 U.S.C. 102(b) as being anticipated by Pharo US 5,427,830.

Re claim 14, Pharo discloses in Figs. 4B and 4B1 air packing bag, comprising an upper sheet 117, a lower sheet 117A an upper film and a lower film (both un-numbered in Fig. 4B1, see the reproduced figure below for the identification of these two elements) disposed within an air passage 114, an intermediate heat proof member 118, a plurality of bladders defined between the upper sheet and lower sheet defined by plurality of first seals (the intermediate seals 115) and second seals (those seals disposed at the lateral ends of the air packing bag which are not shown in the drawing 4B due to the drawing being a segment of the total device, and those seals 115 formed at the top and bottom of the device). The first seals are spaced apart. The air passage 114 is formed along the end of the bladders and communicates with an interior of each of the bladder and includes an open end which is best shown in the other drawing figures.

Re the new claim limitations, which appear to present the limitation of cancelled claim 16 almost verbatim, note coupling points 116 that secure the upper and lower films to the upper sheet 117. Internal air pressure would act to push the inner and outer films toward the sheet to which they are attached (see Figs. reproduced below).



Re claim 15, the opening between two adjacent second seals is construed as the opening at the lateral sides of the device that defines the air passage 144 opening through which air is entered into the device.

Re claim 17 the fluid is air or inert gas.

Re claim 18, each bladder has an independent air inlet (in Fig 4B, each bladder actually has several air inlets).

Re claim 20, the sheets and films are made of plastic.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claim 19 is rejected under 35 U.S.C. 103(a) as being unpatentable over Pharo US 5,427,830.

Pharo does not disclose unevenly spaced apart first seals and second seals.

Applicant has not disclosed that the uneven spacing provides any advantage over other configurations, is used for any particular purpose, or solves any particular stated problem. Accordingly, the uneven spacing would be an obvious aesthetic choice of design to one of ordinary skill in the art so as to achieve an aesthetic that would be identifiable in the marketplace.

Response to Arguments

No explicit arguments have been presented. The Remarks only set forth that the prior art does not anticipate the claims, but does not explicitly set forth the supposed deficiencies of the previous rejections, especially with respect to claim 16.

Conclusion

This is a RCE of applicant's earlier Application No. 10/828,312. All claims are drawn to the same invention claimed in the earlier application and could have been finally rejected on the grounds and art of record in the next Office action if they had been entered in the earlier application. Accordingly, **THIS ACTION IS MADE FINAL** even though it is a first action in this case. See MPEP § 706.07(b). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no, however, event will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jerrold Johnson whose telephone number is 571-272-7141. The examiner can normally be reached on 9:30 to 6:00 M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mickey Yu can be reached on 571-272-4562. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

JDJ



Mickey Yu
Supervisory Patent Examiner
Group 3700